

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|              |   |                                          |
|--------------|---|------------------------------------------|
| Trade name   | : | BPO Härter f. Kartuschenspachtel 0,055KG |
| Product code | : | 000000000053051823                       |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                                   |   |                               |
|-----------------------------------|---|-------------------------------|
| Use of the Sub-<br>stance/Mixture | : | Coatings and related products |
|-----------------------------------|---|-------------------------------|

#### 1.3 Details of the supplier of the safety data sheet

**Company:**  
BASF Coatings GmbH  
Postfach 6123  
48136 Münster  
Deutschland

Telephone: +49 2501 143688  
E-mail address: product-safety-coatings@basf.com

#### 1.4 Emergency telephone

International emergency number:  
Telephone: +49 180 2273-112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                |                                                             |
|------------------------------------------------|-------------------------------------------------------------|
| Organic peroxides, Type E                      | H242: Heating may cause a fire.                             |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                        |
| Skin sensitization, Category 1                 | H317: May cause an allergic skin reaction.                  |
| Short-term (acute) aquatic hazard, Category 1  | H400: Very toxic to aquatic life.                           |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

egory 1

effects.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

|                   |      |                                                       |
|-------------------|------|-------------------------------------------------------|
| Hazard Statements | H242 | Heating may cause a fire.                             |
|                   | H317 | May cause an allergic skin reaction.                  |
|                   | H319 | Causes serious eye irritation.                        |
|                   | H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary Statements : **Prevention:**

|      |                                                                                                   |
|------|---------------------------------------------------------------------------------------------------|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.    |
| P234 | Keep only in original packaging.                                                                  |
| P273 | Avoid release to the environment.                                                                 |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. |

#### **Response:**

|             |                                                                                      |
|-------------|--------------------------------------------------------------------------------------|
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P391        | Collect spillage.                                                                    |

#### Hazardous ingredients which must be listed on the label:

Dibenzoyl peroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

Version 1.0      Revision Date: 02.06.2025      SDS Number: 0000000000530518      Date of last issue: -  
Date of first issue: 02.06.2025  
23

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : organic peroxide

##### Components

| Chemical name      | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number                                                                             | Classification                                                                                                            | Concentration<br>(% w/w) |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Dibenzoyl peroxide | 94-36-0<br>202-327-6<br>617-008-00-0<br>01-2119542176-41                                                                          | Org. Perox. B; H241<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410 | >= 50 - < 75             |
| ethyleneglycol     | 107-21-1<br>203-473-3<br>603-027-00-1<br>UK-20-9702550300-<br>0-0000, UK-20-<br>0537843089-5-0000,<br>UK-20-9642318150-<br>0-0000 | Acute Tox. 4; H302<br>STOT RE 2; H373<br>(Kidney)                                                                         | >= 7 - < 10              |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own safety.  
If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).  
Immediately remove contaminated clothing.  
In all cases of doubt, or when symptoms persist, seek medical attention.  
Move out of dangerous area.  
Never give anything by mouth to an unconscious person.

If inhaled : If breathed in, move person into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
If symptoms persist, call a physician.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

- 
- and shoes.  
Call a physician immediately.
- In case of eye contact : If easy to do, remove contact lens, if worn.  
Call a physician immediately.  
Immediately wash affected eyes for at least 15 minutes under  
running water with eyelids held open, consult an eye special-  
ist.
- If swallowed : Rinse mouth with water.  
Do not induce vomiting due to aspiration hazard.  
Keep at rest.  
If swallowed, call a poison control center or doctor immediate-  
ly.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Information, i.e. additional information on symptoms and ef-  
fects may be included in the GHS labeling phrases available  
in Section 2 and in the Toxicological assessments available in  
Section 11.
- Risks : May cause an allergic skin reaction.  
Causes serious eye irritation.
- Dusts may cause mechanical irritation to eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.  
No known specific antidote.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet  
  
Dry powder  
  
Alcohol-resistant foam  
  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

---

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).  
Has a fire-promoting effect due to release of oxygen.

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Appropriate breathing apparatus may be required.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Cool containers/tanks with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid breathing dust.  
For non-emergency personnel:  
Use personal protective equipment.  
Ensure adequate ventilation, especially in confined areas.  
Keep away from sources of ignition.  
For emergency responders:  
Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Avoid subsoil penetration.  
Do not allow uncontrolled discharge of product into the environment.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain and collect mechanically and dispose of in accordance with local regulations.  
Avoid dust formation.  
Ensure adequate ventilation.

### 6.4 Reference to other sections

For disposal considerations see section 13.

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).  
Do not return residues to the storage containers.  
Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.  
The workplace should be equipped with an emergency shower and eye-rinsing facility.  
Avoid contact with the skin, eyes and clothing.  
Handle in accordance with good industrial hygiene and safety practice.  
Protect from moisture.  
Avoid creating dust.
- Advice on protection against fire and explosion : Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted. Avoid dust formation.
- Hygiene measures : Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and at the end of workday.  
Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Further information on storage conditions : Keep away from heat. Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. The product may have contact with suitable materials only, e.g. unpigmented polyethylene or steel to material code St 4571. Always keep in containers of same material as the original one. Observe label precautions. Protect from moisture. Keep in a dry, cool and well-ventilated place.
- Advice on common storage : Reducing agents, heavy metal compounds, acids, alkalis, contamination.
- Segregate from alkalies and alkalizing substances.  
Bases
- Oxidizing agents  
Organic materials
- Recommended storage temperature : < 25 °C

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

Version 1.0      Revision Date: 02.06.2025      SDS Number: 0000000000530518      Date of last issue: -  
Date of first issue: 02.06.2025  
23

Packaging material : Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephthalate (PET), Polypropylene

### 7.3 Specific end use(s)

Specific use(s) : Please refer to the technical leaflet for further information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components         | CAS-No.                                                                                                                                                                      | Value type (Form of exposure) | Control parameters              | Basis   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------|---------|
| Dibenzoyl peroxide | 94-36-0                                                                                                                                                                      | TWA                           | 5 mg/m <sup>3</sup>             | GB EH40 |
| ethyleneglycol     | 107-21-1                                                                                                                                                                     | TWA (particles)               | 10 mg/m <sup>3</sup>            | GB EH40 |
|                    | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                               |                                 |         |
|                    |                                                                                                                                                                              | TWA (Vapor)                   | 20 ppm<br>52 mg/m <sup>3</sup>  | GB EH40 |
|                    | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                               |                                 |         |
|                    |                                                                                                                                                                              | STEL (Vapor)                  | 40 ppm<br>104 mg/m <sup>3</sup> | GB EH40 |
|                    | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                               |                                 |         |

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation.

#### Personal protective equipment

Eye/face protection : Required when there is a risk of eye contact.  
tight-fitting protective goggles with face screen

Hand protection

Remarks : Wear protective gloves. Any chemical protection glove certified according to EN ISO 374-1 is suitable: e.g. nitrile gloves - material thickness: 0,35 mm Further information on penetration time is available from the manufacturer of the glove. Data are based on information from the glove

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
| 23      |                |                  |                                 |

manufacturer, the raw material manufacturer or according to specifics of the product components. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Request information on glove permeation properties from the glove supplier. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1) Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): Suitable materials against splashes (recommended: At least protective index 1, corresponding > 10 minutes of permeation time according to EN ISO 374-1)

Preventive skin protection

Skin and body protection : chemical-resistant disposable coveralls  
Care should be taken in the selection of protective clothing to ensure that inflammation of the skin at neck and wrists through contact with the powder is avoided.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.  
Wear respiratory protection if ventilation is inadequate.

Protective measures : Eye wash fountains and safety showers must be easily accessible.  
If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.  
Avoid contact with the skin, eyes and clothing.  
Handle in accordance with good industrial hygiene and safety practice.  
Avoid breathing dust.

If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                |         |
|----------------|---------|
| Physical state | : paste |
| Color          | : red   |

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

---

|                                                    |   |                                                                              |
|----------------------------------------------------|---|------------------------------------------------------------------------------|
| Odor                                               | : | characteristic                                                               |
| Melting point/ range                               | : | not determined                                                               |
| Boiling point/boiling range                        | : | Study technically not feasible.                                              |
| Flammability                                       | : | Will not burn                                                                |
| Upper explosion limit / Upper flammability limit   | : | not determined                                                               |
| Lower explosion limit / Lower flammability limit   | : | not determined                                                               |
| Flash point                                        | : | > 50 °C<br>Method: ISO 3679<br>Not applicable                                |
| Autoignition temperature                           | : | > 200.00 °C                                                                  |
| Decomposition temperature                          | : | The product is capable of self-sustaining progressive thermal decomposition. |
| Self-Accelerating decomposition temperature (SADT) | : | 50 °C                                                                        |
| pH                                                 | : | substance/mixture is non-soluble (in water)                                  |
| Viscosity                                          | : |                                                                              |
| Viscosity, kinematic                               | : | not determined (23 °C)<br><br>not determined (40 °C)                         |
| Flow time                                          | : | not applicable, the product is a solid                                       |
| Solubility(ies)                                    | : |                                                                              |
| Water solubility                                   | : | not determined                                                               |
| Partition coefficient: n-octanol/water             | : | not applicable for mixtures                                                  |
| Vapor pressure                                     | : | not determined (50 °C)<br><br>23.0000 hPa                                    |

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

(20 °C)

|                          |   |                                      |
|--------------------------|---|--------------------------------------|
| Density                  | : | 1.200 g/cm <sup>3</sup> (20 °C)      |
| Relative vapor density   | : | The product is a non-volatile solid. |
| Particle characteristics | : |                                      |
| Particle size            | : | No data available                    |

### 9.2 Other information

|                          |   |                                                               |
|--------------------------|---|---------------------------------------------------------------|
| Explosives               | : | Not explosive                                                 |
| Oxidizing properties     | : | The substance or mixture is not classified as oxidizing.      |
| Sustained combustibility | : | Sustains combustibility: no<br>Measurement method: UN Test L2 |
| Self-heating substances  | : | The substance or mixture is not classified as self heating.   |
| Metal corrosion rate     | : | Not corrosive to metals.                                      |
| Miscibility with water   | : | immiscible                                                    |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |                                            |
|---------------------|---|--------------------------------------------|
| Hazardous reactions | : | Dust can form an explosive mixture in air. |
|---------------------|---|--------------------------------------------|

### 10.4 Conditions to avoid

|                     |   |                                                                                                                                           |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions to avoid | : | Heat.<br>Avoid direct sunlight.<br>Avoid dust formation.<br>Heat, flames and sparks.<br>Avoid impact, friction and electrostatic loading. |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------|

### 10.5 Incompatible materials

|                    |   |                                       |
|--------------------|---|---------------------------------------|
| Materials to avoid | : | Organic materials<br>Oxidizing agents |
|--------------------|---|---------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

Reducing agents, heavy metal compounds, acids, alkalis,  
contamination.

### 10.6 Hazardous decomposition products

Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

##### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

### 12.7 Other adverse effects

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

|                        |   |                                                                                                                                                                                        |
|------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : | Do not discharge into drains/surface waters/groundwater.<br>Observe national and local legal requirements.                                                                             |
| Contaminated packaging | : | Containers which are not properly emptied must be disposed<br>pursuant to Directive 2008/98/EC<br>Packaging that is not properly emptied must be disposed of as<br>the unused product. |

### SECTION 14: Transport information

#### 14.1 UN number or ID number

|      |   |         |
|------|---|---------|
| IMDG | : | UN 3108 |
| IATA | : | UN 3108 |

#### 14.2 UN proper shipping name

|      |   |                                                                                    |
|------|---|------------------------------------------------------------------------------------|
| IMDG | : | ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL<br>PEROXIDE)<br>(DIBENZOYL PEROXIDE<br>) |
| IATA | : | ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL<br>PEROXIDE)<br>(DIBENZOYL PEROXIDE<br>) |

#### 14.3 Transport hazard class(es)

|      | Class | Subsidiary risks |
|------|-------|------------------|
| IMDG | :     | 5.2              |
| IATA | :     | 5.2 HEAT         |

#### 14.4 Packing group

|               |   |                            |
|---------------|---|----------------------------|
| IMDG          |   |                            |
| Packing group | : | Not assigned by regulation |
| Labels        | : | 5.2                        |
| EmS Code      | : | F-J, S-R                   |
| IATA (Cargo)  |   |                            |

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

---

|                                      |   |                                       |
|--------------------------------------|---|---------------------------------------|
| Packing instruction (cargo aircraft) | : | 570                                   |
| Packing group                        | : | Not assigned by regulation            |
| Labels                               | : | Organic Peroxide, Keep Away From Heat |

### IATA (Passenger)

|                                          |   |                                       |
|------------------------------------------|---|---------------------------------------|
| Packing instruction (passenger aircraft) | : | 570                                   |
| Packing group                            | : | Not assigned by regulation            |
| Labels                                   | : | Organic Peroxide, Keep Away From Heat |

### 14.5 Environmental hazards

#### ADR

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

#### RID

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

#### IMDG

|                  |   |     |
|------------------|---|-----|
| Marine pollutant | : | yes |
|------------------|---|-----|

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

|                                                                                                                 |   |                                                                                            |
|-----------------------------------------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------|
| UK REACH List of restrictions (Annex 17)                                                                        | : | Conditions of restriction for the following entries should be considered: Number on list 3 |
| UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation                             | : | Not applicable                                                                             |
| The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) | : | Not applicable                                                                             |
| Regulation (EC) on substances that deplete the ozone layer                                                      | : | Not applicable                                                                             |

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

---

|                                                                  |     |                                                             |
|------------------------------------------------------------------|-----|-------------------------------------------------------------|
| UK REACH List of substances subject to authorisation (Annex XIV) | :   | Not applicable                                              |
| Control of Major Accident Hazards Regulations 2015 (COMAH)       | P6b | SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES |
|                                                                  | E1  | ENVIRONMENTAL HAZARDS                                       |

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Details relating to the VOC Directive 2004/42/EC:

Subcategory as indicated in Annex IIB:

b

Limit value for maximum VOC content as specified in Annex IIB:

250 g/l

VOC content of the ready-for-use product according to ISO 11890-2:

250 g/l

### 15.2 Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

---

## SECTION 16: Other information

### Full text of H-Statements

|      |   |                                                                    |
|------|---|--------------------------------------------------------------------|
| H241 | : | Heating may cause a fire or explosion.                             |
| H302 | : | Harmful if swallowed.                                              |
| H317 | : | May cause an allergic skin reaction.                               |
| H319 | : | Causes serious eye irritation.                                     |
| H373 | : | May cause damage to organs through prolonged or repeated exposure. |
| H400 | : | Very toxic to aquatic life.                                        |
| H410 | : | Very toxic to aquatic life with long lasting effects.              |

### Full text of other abbreviations

|                 |   |                                    |
|-----------------|---|------------------------------------|
| Acute Tox.      | : | Acute toxicity                     |
| Aquatic Acute   | : | Short-term (acute) aquatic hazard  |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Eye Irrit.      | : | Eye irritation                     |

# SAFETY DATA SHEET



We create chemistry

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

|                |   |                                                        |
|----------------|---|--------------------------------------------------------|
| Org. Perox.    | : | Organic peroxides                                      |
| Skin Sens.     | : | Skin sensitization                                     |
| STOT RE        | : | Specific target organ toxicity - repeated exposure     |
| GB EH40        | : | UK. EH40 WEL - Workplace Exposure Limits               |
| GB EH40 / TWA  | : | Long-term exposure limit (8-hour TWA reference period) |
| GB EH40 / STEL | : | Short-term exposure limit (15-minute reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : Restricted to professional users.  
For multi-pack systems observe material safety data sheets of all components.

### Classification of the mixture:

Org. Perox. E H242

### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

according to Regulation (EC) No.  
1907/2006, as amended by Commission  
Regulation (EU) 2020/878



We create chemistry

## BPO Härter f. Kartuschen- spachtel 0,055KG

|         |                |                  |                                 |
|---------|----------------|------------------|---------------------------------|
| Version | Revision Date: | SDS Number:      | Date of last issue: -           |
| 1.0     | 02.06.2025     | 0000000000530518 | Date of first issue: 02.06.2025 |
|         |                | 23               |                                 |

---

|                   |      |                    |
|-------------------|------|--------------------|
| Eye Irrit. 2      | H319 | Calculation method |
| Skin Sens. 1      | H317 | Calculation method |
| Aquatic Acute 1   | H400 | Calculation method |
| Aquatic Chronic 1 | H410 | Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN