

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	000000000053051982	Date of first issue: 28.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	SP80-7020-0101 RODIM Glasfaser Sp.1,76KG
Product code	:	000000000053051982
Unique Formula Identifier (UFI)	:	3VHU-S7TX-V00U-SDST

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Coatings and related products
------------------------------	---	-------------------------------

1.3 Details of the supplier of the safety data sheet

Company:
BASF Coatings GmbH
Postfach 6123
48136 Münster
Deutschland

Telephone: +49 2501 143688
E-mail address: product-safety-coatings@basf.com

1.4 Emergency telephone

Firebrigade Coatings:
+49 2501 143227
International emergency number:
+49 180 2273-112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Flammable liquids, Category 3
Skin irritation, Category 2
Eye irritation, Category 2
Skin sensitization, Category 1
Reproductive toxicity, Category 2
Specific target organ toxicity - repeated exposure, Category 1
Long-term (chronic) aquatic hazard, Category 4

H226: Flammable liquid and vapor.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.
H361d: Suspected of damaging the unborn child.
H372: Causes damage to organs through prolonged or repeated exposure.
H413: May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger

Hazard Statements	H226	Flammable liquid and vapor.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H361d	Suspected of damaging the unborn child.
	H372	Causes damage to organs through prolonged or repeated exposure.
	H413	May cause long lasting harmful effects to aquatic life.

Precautionary Statements : **Prevention:**

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist or vapors.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous ingredients which must be listed on the label:

styrene
2,2'-(m-tolylimino)diethanol
maleic anhydride

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : organic compounds
inorganic compounds
fillers

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Unsaturated polyester polymer in SP807020	Not Assigned	Aquatic Chronic 4; H413	>= 20 - < 25
styrene	100-42-5 202-851-5 601-026-00-0 01-2119457861-32	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d STOT SE 3; H335 (Respiratory system) STOT RE 1; H372 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412 Acute toxicity estimate	>= 15 - < 20

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version 1.0 Revision Date: 28.07.2025 SDS Number: 000000000530519 Date of last issue: -
Date of first issue: 28.07.2025
82

		Acute inhalation toxicity (vapor): 12 mg/l	
2,2'-(m-tolylimino)diethanol	91-99-6 202-114-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT RE 2; H373 (Kidney)	$\geq 0,1 - < 0,2$
N-ethyl-2-pyrrolidone	2687-91-4 220-250-6 616-208-00-5 01-2119472138-36	Eye Dam. 1; H318 Repr. 1B; H360Df	$\geq 0,1 - < 0,2$
maleic anhydride	108-31-6 203-571-6 607-096-00-9 01-2119472428-31	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 (Respiratory system) EUH071 specific concentration limit Skin Sens. 1A; H317 $\geq 0,001 \%$ Acute toxicity estimate Acute oral toxicity: 1.090 mg/kg	$\geq 0,001 - < 0,1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). In all cases of doubt, or when symptoms persist, seek medical attention.
- If inhaled : If symptoms persist, call a physician.

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

-
- | | |
|-------------------------|--|
| In case of skin contact | : Do NOT use solvents or thinners.
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
If symptoms persist, call a physician. |
| In case of eye contact | : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
Call a physician immediately.
If easy to do, remove contact lens, if worn. |
| If swallowed | : If symptoms persist, call a physician.
Do NOT induce vomiting.
Rinse mouth. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|--|
| Symptoms | : Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. |
| Risks | : When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia.
Risk of product entering the lungs on vomiting after ingestion.

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging the unborn child.
Causes damage to organs through prolonged or repeated exposure. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically.
No known specific antidote. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Water spray jet

Dry powder

Alcohol-resistant foam |
|------------------------------|---|

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Appropriate breathing apparatus may be required.

Further information : Cool containers/tanks with water spray.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid breathing vapours.
For non-emergency personnel:
Use personal protective equipment.
Ensure adequate ventilation, especially in confined areas.
Keep away from sources of ignition.
For emergency responders:
Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.
Avoid subsoil penetration.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|---|---|---|
| Advice on safe handling | : | Provide good ventilation of working area (local exhaust ventilation if necessary).
Do not return residues to the storage containers.
Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.
The workplace should be equipped with an emergency shower and eye-rinsing facility.
Avoid contact with the skin, eyes and clothing.
Handle in accordance with good industrial hygiene and safety practice.
Do not breathe vapors or spray mist.
Protect from moisture.
Avoid creating dust. |
| Advice on protection against fire and explosion | : | Avoid all sources of ignition: heat, sparks, open flame. Product may charge electrostatically: always use earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear. The relevant fire protection measures should be noted. Use explosion-proof equipment. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air.

Avoid dust formation. |
| Hygiene measures | : | Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Further information on storage conditions | : | Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions. |
|---|---|---|

Protect from moisture.

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Keep in a dry, cool and well-ventilated place.

Advice on common storage : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Storage class (TRGS 510) : 3

Packaging material : Suitable material: Carbon steel (Iron), tinned carbon steel (Tinplate)

7.3 Specific end use(s)

Specific use(s) : Please refer to the technical leaflet for further information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation.

Personal protective equipment

Eye/face protection : Required when there is a risk of eye contact.
Safety glasses with side-shields conforming to EN166

Hand protection

Remarks : Wear protective gloves. Any chemical protection glove certified according to EN ISO 374-1 is suitable: e.g. nitrile gloves - material thickness: 0,35 mm Further information on penetration time is available from the manufacturer of the glove. Data are based on information from the glove manufacturer, the raw material manufacturer or according to specifics of the product components. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Request information on glove permeation properties from the glove supplier. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Suitable materials for short-

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

	term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1) Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): Suitable materials against splashes (recommended: At least protective index 1, corresponding > 10 minutes of permeation time according to EN ISO 374-1)
	Preventive skin protection
	The specifications of the Technical Rule for Hazardous Substances (TRGS) 401 must be observed (TRGS 401: Risks resulting from skin contact - identification, assessment, measures).
Skin and body protection	: Personnel should wear antistatic, flame-retardant clothing made of natural fibres and/or heat-resistant synthetic fibres.
	Anti-static protective clothing
Respiratory protection	: Suitable respiratory equipment:
	full face mask with AB2P3 class combination filter
	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Protective measures	: If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: paste
Color	: green
Odor	: characteristic
Melting point/ range	: not determined
Boiling point/boiling range	: 145,00 °C
Upper explosion limit / Upper flammability limit	: Upper explosion limit 6,1 %(V)
Lower explosion limit / Lower flammability limit	: >= 1,1 %(V)

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Flash point	:	31 °C Method: ISO 3679
Autoignition temperature	:	490 °C
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
pH	:	substance/mixture is non-soluble (in water)
Viscosity	:	
Viscosity, kinematic	:	> 21 mm ² /s not determined (40 °C) 691,3 mm ² /s (23 °C)
Flow time	:	> 100 s Cross section: 6 mm
Solubility(ies)	:	
Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	not applicable for mixtures
Vapor pressure	:	not determined (50 °C) 6,6700 hPa (20 °C)
Density	:	1,800 g/cm ³ (20 °C)
Particle characteristics	:	
Particle size	:	The substance / product is marketed or used in a non solid or granular form.

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Will not burn

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Sustained combustibility	:	Sustains combustibility: yes
Self-heating substances	:	The substance or mixture is not classified as self heating.
Metal corrosion rate	:	Not corrosive to metals.
Miscibility with water	:	immiscible

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form ignitable mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid direct sunlight.

10.5 Incompatible materials

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	000000000530519	Date of first issue: 28.07.2025
		82	

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not discharge into drains/surface waters/groundwater. Observe national and local legal requirements.

Contaminated packaging : Containers which are not properly emptied must be disposed pursuant to Directive 2008/98/EC

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

Packaging that is not properly emptied must be disposed of as the unused product.

Waste Code : 08 01 11, waste paint and varnish containing organic solvents or other hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1866
ADR	:	UN 1866
RID	:	UN 1866
IMDG	:	UN 1866
IATA	:	UN 1866

14.2 UN proper shipping name

ADN	:	RESIN SOLUTION
ADR	:	RESIN SOLUTION
RID	:	RESIN SOLUTION
IMDG	:	RESIN SOLUTION
IATA	:	RESIN SOLUTION

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	3
ADR	:	3
RID	:	3
IMDG	:	3
IATA	:	3

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	F1
Hazard Identification Number	:	30
Labels	:	3

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	000000000530519	Date of first issue: 28.07.2025
		82	

ADR

Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)

RID

Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3

IMDG

Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft)	: 355
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable liquid

14.5 Environmental hazards

ADN

Environmentally hazardous	: no
---------------------------	------

ADR

Environmentally hazardous	: no
---------------------------	------

RID

Environmentally hazardous	: no
---------------------------	------

IMDG

Marine pollutant	: no
------------------	------

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

Water hazard class (Germany) : WGK 2 obviously hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:
others: 48,14 %
5.2.5: Organic Substances:
Class 1: 19,01 %
others: 0,1 %
5.2.7.1.3: Substances toxic to reproduction:
others: 0,1 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 19,1 %

Volatile organic compounds (VOC) content: 343,80 g/l

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	0000000000530519	Date of first issue: 28.07.2025
		82	

VOC content excluding water

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

'Data Sheet: Solvents (M 017)'

TRGS 510 (German Technical Rule for Hazardous Substances) 'Storage of dangerous substances in portable containers'

'Data Sheet: Hand and Skin protection (A 023)'

Operating work equipment (DGUV rule 100-500)

Use of protective clothing (DGUV rule 112-189)

Use of eye and face protection (DGUV rule 112-192)

Use of protective gloves (DGUV rule 112-195)

Styrene polyester resins and other styrene-containing mixtures (DGUVnformation 213-081)

TRGS 401 "Risks resulting from skin contact - identification, assessment, measures"

Details relating to the VOC Directive 2004/42/EC:

Subcategory as indicated in Annex IIB:

b

Limit value for maximum VOC content as specified in Annex IIB:

250 g/l

VOC content of the ready-for-use product according to ISO 11890-2:

250 g/l

15.2 Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapor.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H360Df	: May damage the unborn child. Suspected of damaging fertility.

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	000000000530519	Date of first issue: 28.07.2025
		82	

H361d	: Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H372	: Causes damage to organs through prolonged or repeated exposure if inhaled.
H373	: May cause damage to organs through prolonged or repeated exposure.
H412	: Harmful to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.
EUH071	: Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Resp. Sens.	: Respiratory sensitization
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

SAFETY DATA SHEET

This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the Safety Data Sheet provided by locally applicated Regulation.

SP80-7020-0101 RODIM

Glasfaser Sp.1,76KG



We create chemistry

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.07.2025	000000000530519	Date of first issue: 28.07.2025
		82	

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Classification of the mixture:

Flam. Liq. 3	H226
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Repr. 2	H361d
STOT RE 1	H372
Aquatic Chronic 4	H413

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN